Et

•	Application No.	Applicant(s)		
	10/764,742	WOLF ET AL.		
Notice of Allowability	Examiner	Art Unit		
	Kurt Fernstrom	3711		
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	plication. If not include will be mailed in due	ed course. THIS	
1. This communication is responsive to the Amendment filed	on February 1, 2007.			
2. The allowed claim(s) is/are 1.3, 4, 6-12,14-22, 24, 25, 27-	33. 35-46 and 48-53.			
 Acknowledgment is made of a claim for foreign priority under a) All b) Some* c) None of the: Certified copies of the priority documents have a copies of the priority documents have a copies of the certified copies of the priority documents have a copies of the certified copies of the priority documents have a copies of the certified copies of the priority documents have a copies of the certified copies of the priority documents have a copies of the certified copies of the priority documents have a copies of the certified copies of the priority documents have a copies of the certified copies of the priority documents have a copies of the certified copies of the priority documents have a copie	been received. been received in Application No		tion from the	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply of this communication.	complying with the red	quirements	
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINER'	S AMENDMENT or N tion is deficient.	OTICE OF	
 5. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1) 	on's Patent Drawing Review (PTO-S Amendment / Comment or in the O State of the drawing state on the drawing state of the drawing stat	ffice action of	s back) of	
each sheet. Replacement sheet(s) should be labeled as such in the	he header according to 37 CFR 1.121(d	I).		
6. DEPOSIT OF and/or INFORMATION about the depo- attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL m FOR THE DEPOSIT OF BIOLOGICA	nust be submitted. NAL MATERIAL.	lote the	
Attachment(s) 1. Notice of References Cited (PTO-892)	5. ☐ Notice of Informal Pa	atont Application		
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary (• •		
3. Information Disclosure Statements (PTO/SB/08).	Paper No./Mail Date	Paper No./Mail Date 7. ⊠ Examiner's Amendment/Comment		
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Statemen	nt of Reasons for Allo	wance	

Application/Control Number: 10/764,742

Art Unit: 3711

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Henry Bartony on April 30, 2007.

The application has been amended as follows:

In claim 1, line 14, the language "the working surface having sufficient surface area to provide for positioning" has been deleted and replaced with –whereby--.

In claim 1, line 15, --are positioned—has been inserted between "the moveable elements" and "around at least a portion".

The following is an examiner's statement of reasons for allowance: The newly added language pertaining to positioning the pieces around a perimeter of the surface such that they can be slid to form an equation is not disclosed or suggested by the prior art, and places the claims in condition for allowance. The invention is a device adapted for use by Braille students, and this feature, in combination with the abutment boundary and the Braille markings on the elements, has practical utility in that it more easily enables a visually impaired person to manipulate the elements to form mathematical expressions. While Olivera discloses the storage of elements around a perimeter of a

Art Unit: 3711

work surface when not in use, the storage compartments of Olivera do not allow for sliding an element from its location to the middle to form a mathematical expression, nor is there any suggestion or motivation to modify the teachings of Olivera to provide this feature without using impermissible hindsight. As a result, the claims are allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kurt Fernstrom whose telephone number is (571) 272-4422. The examiner can normally be reached on M-F 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gene Kim can be reached on 571 272-4463. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/764,742

Art Unit: 3711

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

KF

April 30, 2007

KURT FERNSTROM
PRIMARY EXAMINER

Ket Fet

Page 4